



10/616 017

COJC  
HR

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Vezmar

Patent No.: 6,943,744

Issued: September 13, 2005

For: **WAVEGUIDE DIPLEXING AND FILTERING DEVICE**

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. 1.323**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
**NOV 02 2005**  
**of Correction**


Dear Sir:

It is respectfully requested that a Certificate of Correction be issued to correct certain typographical errors made on the part of the Applicant. These errors are set forth in Form PTO/SB/44 attached hereto.

Although 37 C.F.R. § 1.323 requires payment in the amount of \$100, we have not enclosed this amount, as a Certificate of Correction was previously submitted on September 22, 2005, erroneously entitled "Request for Certificate of Correction Under 37 C.F.R. 1.322," along with a \$100 check. As such, we have not enclosed additional payment. If we have calculated this in error, any further fees required in connection with this matter may be charged to Deposit Account No. 25-0115.

Respectfully Submitted,

Dated: October 24, 2005

  
\_\_\_\_\_  
Todd L. Moore  
Reg. No. 36,874

**NOV 03 2005**



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Vezmar

Patent No.: 6,943,744

Issued: September 13, 2005

For: **WAVEGUIDE DIPLEXING AND FILTERING DEVICE**

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. 1.323**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Dear Sir:

It is respectfully requested that a Certificate of Correction be issued to correct certain typographical errors made on the part of the Applicant. These errors are set forth in Form PTO/SB/44 attached hereto.

Although 37 C.F.R. § 1.323 requires payment in the amount of \$100, we have not enclosed this amount, as a Certificate of Correction was previously submitted on September 22, 2005, erroneously entitled "Request for Certificate of Correction Under 37 C.F.R. 1.322," along with a \$100 check. As such, we have not enclosed additional payment. If we have calculated this in error, any further fees required in connection with this matter may be charged to Deposit Account No. 25-0115.

Respectfully Submitted,

Dated: October 24, 2005

  
\_\_\_\_\_  
Todd L. Moore  
Reg. No. 36,874

NOV 03 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,943,744  
APPLICATION NO.: 10/616,017  
ISSUE DATE : September 13, 2005  
INVENTOR(S) : Vezmar

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, Sheet 2, FIG. 3, the reference numeral "39" applied to the end wall at the open end of the main port 16 adjacent to the low noise block converter 24 should be deleted, and it should be replaced with the reference numeral --37--; and

Column 3, line 62, please delete "39" and insert --37--.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Todd L. Moore  
2001 Commonwealth Blvd., Suite 301  
Ann Arbor, Michigan 48105-1562

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

**NOV 03 2005**